

# FRIGIDAIRE GALLERY®

## FGET2766U F/D

## DOUBLE WALL OVEN 27" ELECTRIC

**Smudge-Proof™**  
STAINLESS STEEL

**Smudge-Proof™**  
BLACK STAINLESS STEEL



### AVAILABLE COLORS



### PRODUCT DIMENSIONS

Height (Max.) 50-7/16"

Width 27"

Depth (Incl. Handle) 24-3/4"

### MORE EASY-TO-USE FEATURES

#### Cleanup is Easy with Hidden Bake

Lower heating elements are beneath the oven floor, making for a smooth surface that is easy to clean.

#### Smudge-Proof™ Stainless Steel

Resists fingerprints and cleans easily. Available in Stainless Steel and Black Stainless Steel finishes.

#### Easily Access Dishes with our Glide Rack

Rack easily glides in and out allowing you to access dishes from your oven.

#### Oven Rack Handles

Oven racks are designed with space for you to easily pull out the racks, even when wearing an oven mitt.

#### Easy to Clean with Self-Cleaning

Your oven cleans itself - so you don't have to. Self clean options available in 2, 3, and 4-hour cycles.

#### Even Baking Technology

Our Even Baking Technology ensures even baking every time.

#### Vari-Broil™ Temperature Control

Allows you to choose between two heat levels.

### CERTIFICATIONS

Star-K® Certified (*Sabbath Mode*)

### SIGNATURE FEATURES



#### Faster, More Even Baking Results with True Convection

Get faster, more even multi-rack baking with a powerful convection fan and third heating element that evenly circulates hot air throughout the oven.



#### Effortless™ Temperature Probe

The Effortless™ Temperature Probe detects and alerts when the desired finished cooking temperature has been reached and automatically switches to the keep warm setting (upper oven only).



#### Quick Preheat™

Preheat in just a few minutes.<sup>1</sup>

FRIGIDAIRE  
FIT PROMISE

#### Frigidaire Fit Promise

We promise that your new 27" or 30" Frigidaire® single or double wall oven will fit your existing cabinet cutout of the same width and configuration, or we will reimburse you for installation costs up to \$300.\*

\* Via mail-in rebate. See [Frigidaire.com/FitPromise](http://Frigidaire.com/FitPromise) for additional information.

<sup>1</sup> Based on single rack cooking performance, not set temperature, using Quick Preheat.

# FGET2766U F/D DOUBLE WALL OVEN

27" ELECTRIC

FRIGIDAIRE  
GALLERY

## FEATURES

|                       |  |
|-----------------------|--|
| Control/Timing System | Express-Select® Controls                               |
| Window                | Extra-Large  |
| Exterior Door Finish  | Smudge-Proof™ Stainless Steel (F), Black Stainless (D) |
| Handle Design         | Stainless Steel (F), Black Stainless (D)               |
| Oven Cleaning System  | Self-Clean w/ Steam Clean Option                       |

## OVEN CONTROLS

|                                   |                               |
|-----------------------------------|-------------------------------|
| Bake/Broil                        | Yes / Variable (400 - 550 °F) |
| Effortless™ Convection Conversion | Yes                           |
| Convection Bake / Broil / Roast   | Yes / Yes / Yes               |
| Oven Preheat                      | Quick                         |
| My Favorite                       |                               |
| Slow Cook                         |                               |
| Effortless™ Temperature Probe     | Yes                           |
| Pizza Button                      |                               |
| Keep Warm                         | Yes                           |
| Add-a-Minute                      | Yes                           |
| Delay Start                       | Yes                           |
| Self-Clean / Clean Options        | Yes/2, 3 4 Hours              |
| Steam Clean                       | Yes                           |
| Delay Clean                       | Yes                           |
| Kitchen Timer / Timed Cook Option | Yes/Yes                       |
| Control Lock                      | Yes                           |
| Auto Oven Shut-Off                | 6 Hours                       |
| Oven Lock-Out                     | Yes                           |

## UPPER OVEN FEATURES

|                              |                              |
|------------------------------|------------------------------|
| Capacity (Cu.Ft.)            | 3.8                          |
| Convection System            | True Convection              |
| Oven Light                   | 2 Halogen                    |
| Hidden Bake Element          | Yes                          |
| Rack Configuration           | 1 Heavy Duty / 1 Offset Rack |
| Baking System                | Even Baking Technology       |
| Broiling System              | Power Broil                  |
| Bake / Broil Element (Watts) | 2,500/4,000                  |

## LOWER OVEN FEATURES

|                              |                        |
|------------------------------|------------------------|
| Capacity (Cu.Ft.)            | 3.1                    |
| Convection System            | True Convection        |
| Oven Light                   | 2 Halogen              |
| Hidden Bake Element          | Yes                    |
| Rack Configuration           | 2 Heavy Duty           |
| Baking System                | Even Baking Technology |
| Broiling System              | Power Broil            |
| Bake / Broil Element (Watts) | 2,500/4,000            |

## OPTIONAL ACCESSORIES

|   |                             |
|---|-----------------------------|
| 3"-High Bottom Trim - Black Stainless (D) / Stainless Steel (F) | (D) PN# TBD<br>(S) PN # TBD |
| 10'-Long Armored Power Cable                                    | PN # 903056-9010            |

## CERTIFICATIONS

|                                  |     |
|----------------------------------|-----|
| A.D.A. Compliant <sup>1</sup>    | Yes |
| Star-K® Certified (Sabbath Mode) | Yes |

## SPECIFICATIONS


|   |                         |
|---|-------------------------|
| Oven Interior (H x W x D)                                 | 17" x 20-1/2" x 18-3/4" |
| Power Supply Connection Location                          | Left Bottom Rear        |
| Voltage Rating  | 240V / 208V / 60Hz      |
| Connected Load (kW Rating) @ 240 / 208 Volts <sup>2</sup> | 9 / 6.8                 |
| Amps @ 240 / 208 Volts                                    | 37.5/32.7               |
| Minimum Circuit Required (Amps)                           | 40                      |
| Shipping Weight (Approx.)                                 | 235 Lbs.                |

## PRODUCT DIMENSIONS

|                          |          |
|--------------------------|----------|
| A - Height               | 50-7/16" |
| B - Width                | 27"      |
| C - Depth                | 24-3/4"  |
| D - Height (Wrapper)     | 48-5/8"  |
| E - Width (Wrapper)      | 28-1/4"  |
| Depth with Door Open 90° | 45-3/4"  |

## CABINET CUTOUT DIMENSIONS

|                        |                   |
|------------------------|-------------------|
| Height (Min.) / (Max.) | 48-7/8" / 49-7/8" |
| Width (Min.) / (Max.)  | 24-7/8" / 25-1/4" |
| Depth (Min.)           | 24"               |



<sup>1</sup> When properly installed, this model is A.D.A.-qualified based on the United States Access Board's A.D.A./A.B.A. Accessibility Guidelines and the Department of Justice's 2010 A.D.A. Standards for Accessible Design.

**Note:** For planning purposes only. Always consult local and national electric, gas and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at [frigidaire.com](http://frigidaire.com) / [frigidaire.ca](http://frigidaire.ca).

Specifications subject to change. Accessories information available on the web at [frigidaire.com](http://frigidaire.com) / [frigidaire.ca](http://frigidaire.ca)

FRIGIDAIRE

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • [frigidaire.com](http://frigidaire.com)  
CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • [frigidaire.ca](http://frigidaire.ca)

FGET2766U 11/18

© 2018 Electrolux Home Products, Inc.

